	Application No.	Applicant(s)
Notice of Allowability	09/965,165	VANCURA, OLAF
	Examiner	Art Unit
	Robert J Mendoza	3713
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED i i) or other appropriate comm RIGHTS. This application is	n this application. If not included unication will be mailed in due course. THIS
1. \boxtimes This communication is responsive to <u>03/02/2004</u> .		
2. X The allowed claim(s) is/are <u>18-29,31,32 and 34-36</u> .		
3. X The drawings filed on <u>01 May 2003</u> are accepted by the E	Examiner.	
4. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE"	re been received. re been received in Applicati ocuments have been receive " of this communication to fil	on No ed in this national stage application from the
noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EX	AMINER'S AMENDMENT or NOTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") mu (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in 7. DEPOSIT OF and/or INFORMATION about the dep	ust be submitted. rson's Patent Drawing Revie - r's Amendment / Comment of 1.84(c)) should be written on the header according to 37 C osit of BIOLOGICAL MAT	w (PTO-948) attached or in the Office action of the drawings in the front (not the back) of FR 1.121(d). TERIAL must be submitted. Note the
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF B	OLOGICAL MATERIAL
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of I	nformal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB	<u> </u>	./Mail Dates Amendment/Comment
Paper No./Mail Date		s Statement of Reasons for Allowance
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	9. ☐ Other	
of biological inaccital		Torono Malham
	. :: Su	Teresa Walberg pervisory Patent Examiner Group 3700

Art Unit: 3713

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: the prior art does not anticipate or suggest a player modifying at least one triggering symbol displayed during play of the base game in accordance with the selected at least one presented option and modifying a color of a triggering symbol in accordance with the selected at least one option.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to R. Mendoza whose telephone number is (703) 305-7345. The examiner can normally be reached on Monday-Friday from 8:00am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teresa Walberg, can be reached at (703) 308-1327. The USPTO official fax number is (703) 872-9306.

RM March 24, 2004

Teresa Walberg
Supervisory Patent Examiner

Group 3700